

# HASA BLEACH 12.5%

# **Safety Data Sheet**

12.5% Sodium Hypochlorite

Emergency 24 Hour Telephone:

CHEMTREC 800.424.9300

Corporate Headquarters:

Hasa Inc. P.O. Box 802736 Santa Clarita, CA 91355 Telephone • 661.259.5848 Fax • 661.259.1538

		SECTION 1:	IDENTIFICATION
1.1	Produ	ct Identification:	
	1.1.1	Product Name:	HASA BLEACH 12.5%
	1.1.2	<b>CAS #</b> (Chemical Abstracts Service):	7681-52-9
	1.1.3	<b>RTECS</b> (Registry of Toxic Effects of Chemical Substances):	NH3486300
	1.1.4	<b>EINECS</b> (European Inventory of Existing Commercial Substances):	231-668-3
	1.1.5	EC Number:	231-668-3
	1.1.6	Synonym:	Bleach.
	1.1.7	Chemical Name:	Sodium Hypochlorite
	1.1.8	Chemical Formula:	NaOCI
1.2	Recommended Uses:		Laundry and cleaning.
1.3	Comp	any Identification:	Hasa Inc.
	-	-	P. O. Box 802736
			Santa Clarita, CA 91355
1.4	Emer	gency Telephone Number:	CHEMTREC
			1-800-424-9300
			(24 hour Emergency Telephone)
1.5	Non-E	Emergency Assistance:	661-259-5848
			(8 AM – 5 PM PST / PDT)

ENVIRONMENTAL HAZARD	Skin corrosion / irritation Serious Eye damage / E Irritation Specific target organ tox single exposure Hazardous to the aquati environment, acute haza Corrosive to metals.	Eye xicity, ic ard	Category 1 Category 1 Category 3 irritation) Category 1 Category 1	(respiratory tract	HASA BLEACH 12.59 Safety Data Sheet (SDS No. 103)
ENVIRONMENTAL HAZARD PHYSICAL HAZARD	Irritation Specific target organ to single exposure Hazardous to the aquati environment, acute haza	xicity, ic ard	Category 3 irritation) Category 1	(respiratory tract	BLEACH 12 ta Sheet (SDS No.
ENVIRONMENTAL HAZARD PHYSICAL HAZARD	single exposure Hazardous to the aquati environment, acute haza	ic ard	irritation) Category 1	(respiratory tract	BLEACH 12 ta Sheet (SDS No.
HAZARD PHYSICAL HAZARD	environment, acute haza	ard		¥zz	EACH 12 eet (SDS No.
	Corrosive to metals.	<	Category 1	¥22	CH 12 SDS No.
SYMBOLS		<	!>	¥2	H 12
					<b>.5%</b> <sup>103)</sup>
SIGNAL WORD		DAN	IGER		0
	May be corrosive to me				
STATEMENT	damage. May cause res		•	oxic to aquatic life.	
PRECAUTIONARY	Prevention				
	Wear protective gloves/ protection. Do not breat well-ventilated area. Wa original container. Avoid	he mist or v ash thoroug	apor. Use or hly after hand	nly outdoors or in a dling. Keep only in	
		Resp	onse		
	If swallowed: Rinse mou If inhaled: Remove pers breathing. If on skin (or hair): Take Rinse skin with water/sh for several minutes. Ren Continue rinsing. Immed	on to fresh off immedi nower. If in move conta diately call a	air and keep ately all conta eyes: Rinse c ct lenses, if p a poison cent	comfortable for aminated clothing. cautiously with water present and easy to do.	
	contaminated clothing b Absorb spillage to preve			llect spillage	
			nd Disposal		
	Store in a well-ventilated locked up. Store in corro Dispose of container/co national, international re	d place. Ke osive resistant ntents in ac	ep container ant container ccordance wit	tightly closed. Store	

	SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS				
	Ingredient	Synonyms	CAS No.	Weight %	
3.1	Sodium Hypochlorite	Bleach	7681-52-9	12.5%	
3.2	Sodium Hydroxide	Caustic Soda	1310-73-2	0.2%	

	SECTION 4: FIRST AID MEASURES			-
4.1	IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	HASA B Safety Data	
4.2	IF ON SKIN OR CLOTHING	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	Sheet (	
4.3	IF INHALED	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>	(SDS No. 1	
4.4	IF SWALLOWED	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	103)	
		HOT LINE NUMBER		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.				
		NOTE TO PHYSICIAN		
-				

Probable mucosal damage may contraindicate the use of gastric lavage.

		SECTION 5: FIRE	FIGHTING MEASURES
5.1	Flash Point:		Not applicable.
5.2	Flammability:		Nonflammable and noncombustible.
5.3	Auto-	Ignition Temperature:	Not applicable.
5.4	Produ	cts of Combustion:	Not pertinent.
5.5	Fire H	lazards:	May decompose, generating irritating chlorine gas.
5.6	Explosion Hazards:		Not explosive.
5.7	Fire Fighting Media and Instructions:		
	5.7.1	Extinguishing Media:	Water fog. Foam. Dry chemical powder. Carbon dioxide.
	5.7.2	Small Fires:	Use carbon dioxide, or water spray.
	5.7.3	Large Fires:	Use flooding quantities of water as fog.
5.8	Special Remarks on Fire Hazards:		Do not use Mono Ammonium Phosphate (MAP) fire extinguishers. Such use may cause explosion with release of toxic gases.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Small Spill:	Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
6.2	Large Spill:	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.
6.3	Personal Precautions, Protective Equipment & Emergency Procedures:	Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Absorb spillage to prevent material damage. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.
6.4	Environmental	Do not discharge into drains, water courses or onto the ground.
	Precautions:	Environmental manager must be informed of all major releases.

	SECTION 7: HANDLING AND STORAGE			
7.1	Handling:	<ul> <li>Avoid contact with skin or eyes.</li> <li>Do not ingest.</li> <li>Avoid inhalation of vapor or mist.</li> <li>Wear protective equipment if necessary.</li> <li>Mix only with water in accordance with label directions.</li> <li>Mixing this product with ammonia, acids, detergents, etc or with organic materials, e.g. feces, urine, etc. will release chlorine gas, which is irritating to eyes, lungs, and mucous membranes.</li> </ul>		
7.2	Hygiene Measures:	<ul> <li>Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.</li> <li>While handling this product, avoid eating, drinking or smoking.</li> </ul>		
7.3	Storage:	<ul> <li>Do not freeze.</li> <li>Store in a cool, shaded outdoor area.</li> <li>Inside storage should be in a cool, dry, well-ventilated area.</li> <li>To maintain hypochlorite strength, do not store in direct or heated indoor areas.</li> <li>Keep in original vented container.</li> <li>Keep container closed when not in use.</li> <li>Do not store adjacent to chemicals that may react if spillage occurs.</li> <li>If closed containers become heated, vent to release decomposition products (mainly oxygen under normal decomposition).</li> </ul>		

.1		neering Controls:	<b>TROLS / PERSONAL PE</b> Local exhaust ventilation to		
			STEL (Short Term Exposure Limit) of 1 ppm as chlorine.		
3.2	Persc	onal Protection:	1		
	8.2.1	Eye / Face Protection:	Wear safety glasses, goggle prevent eye contact.	es or face shield to	
	8.2.2	Skin Protection:	Wear appropriate chemical clothing and chemical resist skin contact. Butyl rubber, N Gloves should be worn whe material. Wear chemical res as a rubber apron when spl Rinse immediately if skin is Remove contaminated cloth wash before reuse. Clean p before reuse.	tant gloves to prevent Neoprene, or Nitrile in handling this sistant clothing such ashing may occur. contaminated. hing promptly and	
	8.2.3	Respiratory Protection:	Avoid breathing vapor or mist. When airborne exposure limits are exceeded (see below), use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and chemical goggles. For emergency and other conditions where exposure limit may be significantly exceeded, use an approved full face positive-pressure, self- contained breathing apparatus.		
-	8.2.4	Other Safety Equipment:	Eye wash facility and emerge be in close proximity.		
3.3	Expo	sure Limits:	Sodium Hypochlorite	Chlorine*	
	8.3.1	<b>AIHA</b> (American Industrial Hygiene Association) / <b>WEEL</b> (Workplace Environmental Exposure Level guides) 2010	2 mg/m <sup>3</sup> : 15 minute. (Short-term time weighted average)	Not established	
	8.3.2	<b>ACGIH</b> (American Conference of Governmental Industrial Hygienists) <b>TWA</b> (Time Weighted Average)	Not established.	0.5 ppm	
	8.3.3	ACGIH STEL (Short Term Exposure Limit)	Not established.	1 ppm	
	8.3.4	<b>OSHA PEL</b> (Permisible Exposure Limit)	Not established.	0.5 ppm	
	8.3.5	ACGIH Ceiling	Not established.	Not established	
	8.3.6	<b>NIOSH</b> (National Institute for Occupational Safety & Health) <b>IDLH</b> (Immediate Danger to Life & Health)	Not established.	10 ppm	
	8.3.7	<b>OSHA STEL</b> (Short Term Exposure Limit)	Not established.	1 ppm as Cl <sub>2</sub>	
- F	8.3.8	NIOSH (15 min. ceiling)	Not established.	0.5 ppm	

	SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
9.1	Appearance:	Greenish yellow liquid.		
9.2	Odor:	Pungent.		
9.3	Odor Threshold:	0.9 mg/m <sup>3</sup> .		
9.4	pH:	11.2 – 11.4 (1% solution)		
9.5	Melting Point:	Not pertinent.		
9.6	Freezing point:	-23.3℃ (-10°F)		
9.7	<b>Boiling Point &amp; Boiling Range:</b>	Decomposes @ 110 ℃ (230 °F)		
9.8	Flash Point:	No information available.		
9.9	Evaporation Rate:	No information available.		
9.10	Flammability (solid, gas):	Not flammable.		
9.11	Upper / Lower Flammability or	No information available.		
	Explosive Limits:			
9.12		12.1 mm Hg @ 20 ℃ (68 °F)		
	Vapor Density:	2.61 (air=1)		
9.14	Relative Density (Specific	1.2 g/mL or 10 lb/gallon @ 20 ℃ (68 °F)		
9.15	Gravity): Solubility in Water:	Mixes infinitely with water.		
9.15	Partition Coefficient: (n-octanol /	No information available.		
9.10	water):			
9.17	Auto-ignition Temperature:	No information available.		
9.18	Decomposition Temperature:	Decomposes @ 110 ℃ (230 °F)		
9.19	Molecular Weight:	74.5 g/mole		
9.20	Viscosity:	1.75 - 2.50 centipoises (varies with temperature)		

	SECTION 10: STABILITY AND REACTIVITY		
10.1	Stability:	Stable under normal conditions of storage, handling, and use.	
10.2	Instability / Decomposition Temperature:	All bleach decomposition is dependant on temperature. For any given temperature, the higher the strength, the faster it decomposes. In summary, for every 10°C increase in storage temperature, the sodium hypochlorite will decompose at an increased rate factor of approximately 3.5.	
10.3	Conditions of Instability:	High heat, ultraviolet light.	
10.4	Incompatibility with Various Substances:	Oxidizing agents, acids, nitrogen containing organics, metals, iron, copper, nickel, cobalt, organic materials, and ammonia.	
10.5	Corrosivity:	Corrosive to metals.	
10.6	Special Remarks on Reactivity:	Rate of decomposition increases with heat. May develop chlorine if mixed with acidic solutions.	
10.7	Special Remarks on Corrosivity:	None.	
10.8	Hazardous Polymerization:	Will not occur.	

# SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Routes of Entry:	Eyes, skin, ingestion, dermal absorption.		
11.2	Acute Toxicity:			
	11.2.1 <b>Oral Toxicity</b> (LD <sub>50</sub> ):	3-5 g/kg (rat)		
	11.2.2 <b>Dermal Toxicity</b> (LD <sub>50</sub> ):	>2 g/kg (rabbit)		
	11.2.3 Primary Eye Irritation:	Corrosive		
	11.2.4 Primary Skin Irritation:	Corrosive		
	11.2.5 Inhalation Toxicity (LC <sub>50</sub> ):	No data available.		
11.3	Chronic Effects (Human Risk Assessment):	Based on the toxicity profile and exposure scenarios for sodium hypochlorite, EPA concludes that the risks from chronic and subchronic exposure to low levels of these pesticides are minimal and without consequence to human health.		
11.4	Tolerance Requirement:	Exempt (EPA document "Index to Pesticide Chemical Names, Part 180 Tolerance Information, and Food and Feed Commodities (by Commodity)" July 2010		

	SECTION 12: ECOLOGICAL INFORMATION			
12.1	Ecotoxicity:	Sodium hypochlorite is low in toxicity to avian wildlife, but it is highly toxic to freshwater fish and invertebrates.		
12.1.1 Freshwater Fish Toxicity:		Atlantic Herring (clupea harengus) $LC_{50} = 0.033 - 0.097 \text{ mg/l/96 hr}$ , flow through bioassay (pH: 8) Shiner Perch (cymatogaster aggregata) $LC_{50} = 0.045 - 0.098 \text{ mg/l/96 hr}$ , flow through bioassay (pH: 8) Three Spine Stickleback (gasterosteus aculeatus) $LC_{50} = 0.141 - 0.193 \text{ mg/l/96 hr}$ , flow through bioassay (pH: 8) Pink Salmon (oncorhynchus gorbuscha) $LC_{50} = 0.023 - 0.052 \text{ mg/l/96 hr}$ , flow through bioassay (pH: 8) Coho Salmon (oncorhynchus kisutch) $LC_{50} = 0.026 - 0.038 \text{ mg/l/96 hr}$ , flow through bioassay (pH: 8) English Sole (parophrys vetulus) $LC_{50} = 0.044 - 0.144 \text{ mg/l/96 hr}$ , flow through bioassay (pH: 8) Fat Head Minnow (pimephales promelas) $LC_{50} = 0.22 - 0.62 \text{ mg/l/96 hr}$ , flow through bioassay (pH: 7)		
	12.1.2 Invertebrate Toxicity:	Water Flea (ceriodaphnia sp. 0) $LC_{50} = 0.006 \text{ mg/l/24 hr}$ Water Flea (daphnia magna) $LC_{50} = 0.07 - 0.7 \text{ mg/l/24 hr}$ Water Flea (daphnia magna) $LC_{50} = 2.1 \text{ mg/l/96 hr}$ Fresh Water Shrimp (gammarus fasciatus) $LC_{50} = 0.4 \text{ mg/l/96 hr}$ No common name (nitocra spinipes) $LC_{50} = 0.40 \text{ mg/l/96 hr}$ Grass Shrimp (palaemonetes pugio) $LC_{50} = 0.52 \text{ mg/l/96 hr}$		
12.2	Persistence:	No data available.		
12.3 Environmental Fate:		In fresh water, sodium hypochlorite breaks down rapidly into non-toxic compounds when exposed to sunlight. In seawater, chlorine levels decline rapidly; however, hypobromite (which is acutely toxic to aquatic organisms) is formed. EPA believes that the risk of acute exposure to aquatic organisms is sufficiently mitigated by precautionary labeling and National Pollutant Discharge Elimination System (NPDES) permit requirements.		
12.4	<b>Bioconcentration:</b>	This material is not expected to bioconcentrate in organisms.		
12.5	Biodegradation:	This material is inorganic and not subject to biodegradation.		

## SECTION 13: DISPOSAL CONSIDERATIONS

Do not contaminate food or feed by storage, disposal, or cleaning of equipment. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. This product can be neutralized with sodium bisulfite, sodium thiosulfate, sodium sulfite. Do not confuse these products with sulfates or bisulfates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination system (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not contaminate water containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. Dispose of in accordance with all applicable local, County, State, and Federal regulations.

		Inside containers	Container					
14.1	UN Number	(< 1.3 gallons) Limited Quantity	(> <b>1.3 gallons)</b> UN 1791					
14.1	UN Proper Shipping Name		Hypochlorite Solutions (Sodium Hypochlorite)					
14.3	Transport Hazard Class		8					
14.4	Packing Group		PG III					
14.5	Environmental Hazard (e.g. Marine Pollutant)	Yes	Yes					
14.6	Reportable Quantity (RQ):	100 lb (45.4 kg) or 80 gallons (based on 12.5% active ingredient)	100 lb (45.4 kg) or 80 gallons (based on 12.5% active ingredient)					
14.7	Materials of Trade (MOT) Exceptions. Certain hazardous materials transported in small quantities as part of a business are subject to less regulation, because of the limited hazard they pose. These materials are known as Materials of Trade. The regulations that apply to MOTs are found in 49 CFR § 173.6.							

regulations and rules relating to the transportation of the material.

#### SECTION 15: REGULATORY INFORMATION

15.1	U.S. B	legulations:					
10.1		15.1.1 <b>OSHA HAZCOM</b> (Hazard This material is considered hazardous under the					
		Communication)	HAZCOM	Standard (29	CFR 1910.1200)		
	15.1.2	<b>OSHA PSM</b> (Process Safety Management)	Not regula	ted under PS	SM Standard (29 CFR 1910.119)		
	15.1.3	<b>EPA FIFRA</b> (Federal Insecticide, Fungicide and Rodenticide Act)	Not regula	ted under FI	FRA standard.		
	15.1.4	<b>EPA TSCA</b> (Toxic Substance Control Act)	All components are listed or exempted. TSCA 12(b): This product is not subject to export notification.				
	15.1.5	<b>EPA CERCLA</b> (Comprehensive Environmental Response, Compensation, and Liability Act)	Reportable Quantity (RQ): 45.4 kg (100 lbs) or 80 gallons (based on 12.5% active ingredient). Not listed. (40 CFR 68.130)				
	15.1.6	<b>EPA RMP</b> (Risk Management Plan)					
15.2	State	e of California Regulations:					
	15.2.1	of 1986 [Proposition 65, abeling under California					
	15.2.2	5.2.2 <b>CDPR</b> (California Department of Pesticide Re			gulation) Not regulated.		
	15.2.3	<b>CalARP</b> (California Accidental Re Program)	lease Preve	ention	Not regulated.		
15.3	Canac	a Regulations:					
	15.3.1	<b>WHMIS</b> (Workplace Hazardous Materials Information System)	<ul> <li>Classification: E (Corrosive Materials)</li> <li>Health Effects Criteria Met by this Chemical: <ul> <li>E - Corrosive to skin</li> <li>E - TDG class 8 - corrosive substance</li> </ul> </li> <li>Ingredient Disclosure List: Included for disclosure at 1% or greater.</li> </ul>				
	15.3.2	<b>DSL</b> (Domestic Substances List)	All components of this p		product are on the DSL.		
15.4	Intern	ational Inventory:					
	15.4.1	<b>AICS</b> (Australian Inventory of Che Substances)	mical	On inventory or in compliance with inventory.			
	15.4.2	KECI (Korean Existing Chemicals	Inventory)	On inventory or in compliance with inventory.			
	15.4.3	<b>PICCS</b> (Philippine Inventory of Ch and Chemical Substances)	emicals	On inventory or in compliance with inventory.			
	15.4.4	<b>IECSC</b> (Inventory of Existing Cher Substances in China)	mical	On inventory or in compliance with inventory.			
	15.4.5	<b>NZIOC</b> (New Zealand Inventory of Chemicals)		On invento inventory.	ory or in compliance with		

		SECTION 16: OTHE	R INFORMATIC	N		
16.1	HMIS III (Hazardous Materials Identification System):					
	16.1.1	HEALTH	2			
	16.1.2	FLAMMABILITY	0			
	16.1.3	PHYSICAL HAZARD	1			
	16.1.4	PERSONAL PROTECTION	See Section 8.			
16.2	NFPA 704 (National Fire Protection Association):					
	16.2.1	HEALTH	2			
	16.2.2	FLAMMABILITY	0			
	16.2.3	INSTABILITY	0			
	16.2.4	SPECIAL	None			
16.3	International Fire Code / International Building Code:		Irritant.			
16.4	ANSI	ANSI (American National Standards Institute):				
	16.4.1	Hazardous Industrial Chemicals - SDS-Preparation:	Complies with ANSI Z400.1 – 2004.			
	16.4.2	Hazardous Industrial Chemicals - Precautionary Labeling:	Complies with ANSI Z129.1 – 2006.			

Note: The information contained herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge and belief. NO WARRANTY OR GUARANTEE, express or implied, is made regarding the product performance, product stability, or as to any other condition of use, handling, transportation, and storage. Customer use, handling, transportation, and storage may involve additional safety and/or performance considerations. Our technical personnel will be happy to respond to questions regarding safe handling, storage, transportation, and use procedures. The safe handling, storage, transportation, or use are intended as or to be construed as recommendations which may infringe on any existing patents or violate any Federal, State, and/or local law and/or regulation, ordinance, standard, etc. This Safety Data Sheet has been prepared by HASA, Inc. staff from test reports and other information available in the public domain.